Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAMETECHNOLOGYVALUEUNITSHOMOCYSTEINEPHOTOMETRY19.79μmol/L

Reference Range:-

< 30

Clinical Significance:

Homocysteine is linked to increased risk of premature coronary artery disease, stroke and thromboembolism. Moreover, alzheimer's disease, osteoporosis, venous thrombosis, schizophrenia, cognitive deficiency and pregnancy complications also elevates Homocysteine levels.

High Values:

Elevated homocysteine levels might be due to increasing age, genetic traits, drugs, renal dysfunction and dietary deficiency of vitamins or smoking. To lower your homocysteine, eat more green vegetables, stop smoking, alcohol. Folic acid helps lowering elevated levels.

Please correlate with clinical conditions.

Method:- ENZYMATIC ASSAY

Sample Collected on (SCT)
Sample Received on (SRT)
Report Released on (RRT)

Sample Type Labcode

Barcode



: 20 Jun 2022 05:51

: 20 Jun 2022 15:41

: 20 Jun 2022 21:43

: SERUM

2006079197/PP004

Dr Keerthana J MD(Path)

: Y9458302

Lyman

Dr S Sugunadhar MD(Path)

Page: 1 of 18

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAMETECHNOLOGYVALUEUNITSCYSTATIN CIMMUNOTURBIDIMETRY0.93mg/L

Reference Range :-

<= 60 years: <= 1.03 mg/L > 60 years : < 1.50 mg/L

Clinical significance

Cystatin c, is a small 13-kda protein and is a member of the cysteine proteinase inhibitor family, it is produced at a constant rate by all nucleated cells. Due to its small size it is freely filtered by the glomerulus and is not secreted but is fully reabsorbed and broken down by the renal tubules. This means that the primary determinate of blood Cystatin c levels is the rate at which it is filtered at the glomerulus making it an excellent gfr marker. Cystatin c is also a marker of inflammation and like many other markers of inflammation; its serum concentration may be higher in patients with decreased renal clearance. There is mounting evidence, however, that Cystatin c may be a predictor of adverse outcomes independent of renal function with its higher sensitivity to detect a reduced GFR than Creatinine determination, also in the so-called "Creatinine-blind" range. Thus, Cystatin c is suggested to be a better marker for GFR than the ubiquitous serum Creatinine.

Reference

- 1. Barrett aj, Davies me, Grubb a. the place of human gamma-trace (Cystatin c) among the cysteine proteinase inhibitors. Biochem biophys res common 1984; 120: 631-6.
- 2. Grubb a. diagnostic value of analysis of Cystatin c and protein HC in biological fluids. Clin Nephrol 1992; 38: S20-7.

Please correlate with clinical conditions.

Method:- LATEX ENHANCED IMMUNOTURBIDIMETRY

Sample Collected on (SCT) : 20 Jun 2022 05:51
Sample Received on (SRT) : 20 Jun 2022 15:41

Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type . SERUM

Labcode : 2006079197/PP004

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Barcode : Y9458302 Page : 2 of 18

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

PATIENTID : RN19501071

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE

NALLAGANDLA SERILINGAMPALLY HYDERABAD

TEST NAME TECHNOLOGY VALUE UNITS

25-OH VITAMIN D (TOTAL) C.L.I.A 22.36 ng/ml

Reference Range:
DEFICIENCY: <20 ng/ml
INSUFFICIENCY: 20-<30 ng/ml

SUFFICIENCY : 30-100 ng/ml TOXICITY : >100 ng/ml

Vitamin D Total test is analyzed on Siemens ADVIA Centaur, standardized against ID-LC/MS/MS, as per Vitamin D Standardization Program (VDSP).

Specifications: Intra assay (%CV):5.3%, Inter assay (%CV):11.9%; Sensitivity:3.2 ng/ml

Method: FULLY AUTOMATED CHEMI LUMINESCENT IMMUNO ASSAY

VITAMIN B-12 C.L.I.A 510 pg/ml

Reference Range: Normal: 211 - 911 pg/ml

Clinical significance:

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):5.0%, Inter assay (%CV):9.2 %;Sensitivity:45 pg/ml

External quality control program participation:

College of American pathologists: ligand assay (general) survey; CAP number: 7193855-01

Kit validation references:

Chen IW, Sperling MI, Heminger IA. Vitamin B12.In: Pesce AJ, Kalpan LA, editors. Methods in clinical chemistry. St. Louis: CV Mosby, 1987.P. 569-73.

Method: FULLY AUTOMATED BIDIRECTIONALLY INTERFACED CHEMI LUMINESCENT IMMUNO ASSAY

Please correlate with clinical conditions.

Sample Collected on (SCT) :20 Jun 2022 05:51

Sample Received on (SRT) : 20 Jun 2022 15:41
Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type : SERUM

Labcode : 2006079197/PP004

Barcode : Y9458302

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Page: 3 of 18

Thyrocare

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

PATIENTID : RN19501071 **HOME COLLECTION:**

H1503 APARNA SAROVOR GRANDE

NALLAGANDLA SERILINGAMPALLY HYDERABAD

VALUE TEST NAME TECHNOLOGY UNITS **APOLIPOPROTEIN - A1 (APO-A1) IMMUNOTURBIDIMETRY** 117 mg/dL Reference Range: MALE : 86 - 152 FEMALE : 94 - 162 Method: FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY - BECKMAN COULTER **APOLIPOPROTEIN - B (APO-B) IMMUNOTURBIDIMETRY 54** mg/dL Reference Range:

MALE : 56 - 145 : 53 - 138 FEMALE

Method: FULLY AUTOMATED RATE IMMUNOTURBIDIMETRY - BECKMAN COULTER

0.5 APO B / APO A1 RATIO (APO B/A1) **CALCULATED** Ratio

Reference Range:

MALE : 0.40 - 1.26 FEMALE : 0.38 - 1.14

Method: DERIVED FROM SERUM APO A1 AND APO B VALUES

Please correlate with clinical conditions.

Sample Collected on (SCT) :20 Jun 2022 05:51

: 20 Jun 2022 15:41

Sample Received on (SRT) Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type :SERUM

Labcode :2006079197/PP004

Barcode :Y9458302

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Page: 4 of 18

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

© 022 - 3090 0000 / 6712 3400 © 9870666333 ■ wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAME TECHNOLOGY VALUE UNITS
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP) IMMUNOTURBIDIMETRY 16.67 mg/L
Reference Range :-

ADULT : <=3.0 MG/L

INTERPRETATION:

HIGH SENSITIVITY C-REACTIVE PROTEIN, WHEN USED IN CONJUNCTION WITH OTHER CLINICAL LABORATORY EVALUATION OF ACUTE CORONARY SYNDROMES, MAY BE USEFUL AS AN INDEPENDENT MARKER OF PROGNOSIS FOR RECURRENT EVENTS, IN PATIENTS WITH STABLE CORONARY DISEASE OR ACUTE CORONARY SYNDROMES. HSCRP LEVELS SHOULD NOT BE SUBSTITUTED FOR ASSESSMENT OF TRADITIONAL CARDIOVASCULAR RISK FACTORS. PATIENTS WITH PERSISTENTLY UNEXPLAINED, MARKED EVALUATION OF HSCRP AFTER REPEATED TESTING SHOULD BE EVALUATED FOR NON - CARDIOVASCULAR ETIOLOGIES

CLINICAL SIGNIFICANCE:

HSCRP MEASUREMENTS MAY BE USED AS AN INDEPENDENT RISK MARKER FOR THE IDENTIFICATION OF INDIVIDUALS AT RISK FOR FUTURE CARDIOVASCULAR DISEASE. ELEVATED CRP VALUES MAY BE INDICATIVE OF PROGNOSIS OF INDIVIDUALS WITH ACUTE CORONARY SYNDROMES, AND MAY BE USEFUL IN THE MANAGEMENT OF SUCH INDIVIDUALS.

SPECIFICATIONS: PRECISION: WITHIN RUN %CV HAS BEEN RECORDED <=5%.

REFERENCES:

- 1. CHENILLOT O, HENNY J, STEINMEZ J, ET AL. HIGH SENSITIVITY C-REACTIVE PROTEIN: BIOLOGICAL VARIATIONS AND REFERENCE LIMITS. CLIN CHEM LAB MED 2000;38:1003-11.
- 2. HIND CRH, PEPYS MB. THE ROLE OF SERUM C-REACTIVE PROTEIN MEASUREMENTS IN CLINICAL PRACTICE. INT MED 1984;5:112-51.

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION - BECKMAN COULTER

Sample Collected on (SCT) : 20 Jun 2022 05:51
Sample Received on (SRT) : 20 Jun 2022 15:41

Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type . SERUM

Labcode : 2006079197/PP004

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Barcode : Y9458302 Page : 5 of 18

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

© 022 - 3090 0000 / 6712 3400 © 9870666333
■ wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAMETECHNOLOGYVALUEUNITSLIPOPROTEIN (A) [LP(A)]IMMUNOTURBIDIMETRY27.6mg/dl

Reference Range :-

ADULTS: < 30.0 MG/DL

INTERPRETATION:

DETERMINATION OF LPA MAY BE USEFUL TO GUIDE MANAGEMENT OF INDIVIDUALS WITH A FAMILY HISTORY OF CHD OR WITH EXISTING DISEASE. THE LEVELS OF LPA IN THE BLOOD DEPENDS ON GENETIC FACTORS; THE RANGE OF VARIATION IN A POPULATION IS RELATIVELY LARGE AND HENCE FOR DIAGNOSTIC PURPOSE, RESULTS SHOULD ALWAYS BE ASSESSED IN CONJUNCTION WITH THE PATIENT'S MEDICAL HISTORY, CLINICAL EXAMINATION AND OTHER FINDINGS.

SPECIFICATIONS:

PRECISION: INTRA ASSAY (%CV): 3.4 %, INTER ASSAY (%CV): 2.0 %; SENSITIVITY: 0.002 GM/L

EXTERNAL QUALITY CONTROL PROGRAM PARTICIPATION:

COLLEGE OF AMERICAN PATHOLOGISTS: GENERAL CHEMISTRY AND TDM; CAP NUMBER: 7193855-01

KIT VALIDATION REFERENCES:

KOSCHINSKY ML, MARCOVINA SM. LIPOPROTEIN A: STRUCTURAL IMPLICATION FOR PATHOPHYSIOLOGY. INT J CLIN LAB RES, 1997; 27: 14-23.

Please correlate with clinical conditions.

Method:- LATEX ENHANCED IMMUNOTURBIDIMETRY

 Sample Collected on (SCT)
 : 20 Jun 2022 05:51

 Sample Received on (SRT)
 : 20 Jun 2022 15:41

 Report Released on (RRT)
 : 20 Jun 2022 21:43

Sample Type

Labcode • 2006079197/PP004

. SERUM

006079197/PP004 Dr Keerthana J MD(Path)

Barcode : Y9458302 Page : 6 of 18

Long

Dr S Sugunadhar MD(Path)

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAMETECHNOLOGYVALUEUNITSSERUM COPPERPHOTOMETRY99.7μg/dL

Reference Range :-

Male : 63.5 - 150 Female : 80 - 155

Clinical significance:

Copper is an important trace element and a component of numerous enzymes and proteins involved in energy production, connective tissue formation, melanin synthesis, iron metabolism, development of central nervous system, angiogenesis as well as an antioxidant. Deficiency can cause- Malnourishment, cardiovascular disease, anemia & neuropathy, toxicity may be manifested as acute renal failure, gastroenteritis & chronic liver disease.

Specifications:

Precision: Intra assay (%CV): 1.17, Inter assay (%CV): 2.32.

Kit validation references:

Thomas L. Clinical Laboratory Diagnostics. 1st ed. Frankfurt: TH-Books Verlagsgesellschaft; 1998. p. 337-8

Please correlate with clinical conditions.

Method:- 3,5-DIBR-PAESA

 Sample Collected on (SCT)
 : 20 Jun 2022 05:51

 Sample Received on (SRT)
 : 20 Jun 2022 15:41

 Report Released on (RRT)
 : 20 Jun 2022 21:43

Sample Type . SERUM

Labcode • 2006079197/PP004

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Barcode : Y9458302 Page : 7 of 18

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAMETECHNOLOGYVALUEUNITSSERUM ZINCPHOTOMETRY78.69µg/dL

Reference Range:-

52 - 286

Clinical Significance:

Zinc is one of the essential trace elements in the body. Its metalloenzymes play a key rple in protein and nucleic acid synthesis, gene expression, wound healing, as an antioxidant, etc. Deficiency can cause- Poor wound healing, gastroenteritis, impaired spermatogenesis, Alzheimer's disease, etc. Toxicity may be manifested as pancreatitis, gastric ulcer, anemia, pulmonary fibrosis.

Specifications:

Precision: Intra assay (%CV): 2.02, Inter assay (%CV): 2.22.

Kit Validation References:

Thomas L. Clinical Laboratory Diagnostics. 1st ed. Frankfurt: TH-Books Verlagsgesellschaft; 1998. p. 347-9

Please correlate with clinical conditions.

Method:- NITRO - PAPS

 Sample Collected on (SCT)
 : 20 Jun 2022 05:51

 Sample Received on (SRT)
 : 20 Jun 2022 15:41

 Report Released on (RRT)
 : 20 Jun 2022 21:43

Sample Type . SERUM

Labcode • 2006079197/PP004

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Barcode : Y9458302 Page : 8 of 18

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

© 022 - 3090 0000 / 6712 3400 © 9870666333 ■ wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAMETECHNOLOGYVALUEUNITSTESTOSTERONEC.L.I.A533.02ng/dL

Reference Range :-

Adult Male

21 - 49 Yrs: 164.94 - 753.38 50 - 89 Yrs: 86.49 - 788.22

Adult Female

Pre-Menopause : 12.09 - 59.46 Post-Menopause : < 7.00 - 48.93

Boys

2-10 Years : < 7.00 - 25.91 11 Years : < 7.00 - 341.53 12 Years : < 7.00 - 562.59 13 Years : 9.34 - 562.93 14 Years : 23.28 - 742.46 15 Years : 144.15 - 841.44 16-21 Years : 118.22 - 948.56

Girls

2-10 Years : < 7.00 - 108.30 11-15 Years : < 7.00 - 48.40 16-21 Years : 17.55 - 50.41

Clinical Significance:

Clinical evaluation of serum testosterone, along with serum LH, assists in evaluation of Hypogonadal males. Major causes of lowered testosterone in males include Hypogonadotropic hypogonadism, testicular failure Hyperprolactinema, Hypopituitarism some types of liver and kidney diseases and critical illness.

Specifications: Precision: Intra assay (%CV): 8.5 %, Inter assay (%CV): 12.6%; Sensitivity: 7 ng/dL.

External quality control program participation:

College of American pathologists: Ligand assay (special) survey; cap number: 7193855-01

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED BIDIRECTIONALLY INTERFACED CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT) : 20 Jun 2022 05:51
Sample Received on (SRT) : 20 Jun 2022 15:41

Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type . SERUM

Labcode : 2006079197/PP004

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Barcode : Y9458302 Page : 9 of 18

Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

PATIENTID : RN19501071

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE

NALLAGANDLA SERILINGAMPALLY HYDERABAD

TEST NAME	TECHNOLOGY	VALUE	UNITS	
IRON	PHOTOMETRY	41.56	μg/dl	
Reference Range : Male : 65 - 175			F3/ 4-	
Female : 50 - 170				
Method: FERROZINE METHOD WITHOUT DEPROTEINIZA	ATION			
TOTAL IRON BINDING CAPACITY (TIBC)	PHOTOMETRY	415.6	μg/dl	
Reference Range : Male: 225 - 535 μg/dl Female: 215 - 535 μg/dl Method : SPECTROPHOTOMETRIC ASSAY				
% TRANSFERRIN SATURATION	CALCULATED	10	%	
Reference Range : 13 - 45				

Method: DERIVED FROM IRON AND TIBC VALUES

Please correlate with clinical conditions.

Sample Collected on (SCT) :20 Jun 2022 05:51
Sample Received on (SRT) : 20 Jun 2022 15:41

Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type : SERUM

Labcode : 2006079197/PP004

Barcode : Y9458302

(

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Page: 10 of 18

PROCESSED AT: Thyrocare

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

PATIENTID : RN19501071 **HOME COLLECTION:**

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
TOTAL CHOLESTEROL	PHOTOMETRY	114	mg/dl	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	46	mg/dl	40-60
TRIGLYCERIDES	PHOTOMETRY	94	mg/dl	< 150
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	53	mg/dl	< 100
TC/ HDL CHOLESTEROL RATIO	CALCULATED	2.5	Ratio	3 - 5
LDL / HDL RATIO	CALCULATED	1.1	Ratio	1.5-3.5
VLDL CHOLESTEROL	CALCULATED	18.74	mg/dl	5 - 40
NON-HDL CHOLESTEROL	CALCULATED	67.76	mg/dl	< 160

Please correlate with clinical conditions.

Method:

CHOL - Cholesterol Oxidase, Esterase, Peroxidase

HCHO - Direct Enzymatic Colorimetric

TRIG - Enzymatic, End Point

LDL - Direct Measure

Sample Type

TC/H - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES

LDL/ - Derived from serum HDL and LDL Values

VLDL - DERIVED FROM SERUM TRIGLYCERIDE VALUES

NHDL - Derived from serum Cholesterol and HDL values

*REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

: SERUM

Sample Collected on (SCT) : 20 Jun 2022 05:51 : 20 Jun 2022 15:41 Sample Received on (SRT)

Report Released on (RRT) : 20 Jun 2022 21:43

Labcode : 2006079197/PP004

Dr Keerthana J MD(Path)

Barcode . Y9458302 Page: 11 of 18

Dr S Sugunadhar MD(Path)

PROCESSED AT : Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

© 022 - 3090 0000 / 6712 3400 © 9870666333 ■ wellness@thyrocare.com ⊕ www.thyrocare.com

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

PATIENTID: RN19501071

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ALKALINE PHOSPHATASE	PHOTOMETRY	174.1	U/L	45 - 129
BILIRUBIN -DIRECT	PHOTOMETRY	0.2	mg/dl	< 0.3
BILIRUBIN - TOTAL	PHOTOMETRY	0.63	mg/dl	0.3-1.2
BILIRUBIN (INDIRECT)	CALCULATED	0.44	mg/dl	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	12.64	U/I	< 55
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	27.66	U/I	< 35
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	16.31	U/I	< 45
PROTEIN - TOTAL	PHOTOMETRY	7.13	gm/dl	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	4.14	gm/dl	3.2-4.8
SERUM GLOBULIN	PHOTOMETRY	2.99	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.38	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method:

ALKP - Modified IFCC method

BILD - Vanadate Oxidation

BILT - Vanadate Oxidation

BILI - DERIVED FROM SERUM TOTAL AND DIRECT BILIRUBIN VALUES

GGT - Modified IFCC method

SGOT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

SGPT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

PROT - BIURET METHOD

SALB - ALBUMIN BCG¹METHOD (COLORIMETRIC ASSAY ENDPOINT)

SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

A/GR - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

Sample Collected on (SCT) : 20 Jun 2022 05:51

Sample Received on (SRT) : 20 Jun 2022 15:41

Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type : SERUM

Labcode : 2006079197/PP004

0060/919//PP004 Bi Noorthand 6

Dr Keerthana J MD(Path) Dr S Sugunadhar MD(Path)

Barcode : Y9458302 Page : 12 of 18

PROCESSED AT : Thyrocare

H. NO. 1-9-645,Vidyanagar, Adikmet Road,Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

© 022 - 3090 0000 / 6712 3400 © 9870666333 ■ wellness@thyrocare.com ⊕ www.thyrocare.com

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

PATIENTID: RN19501071

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	17.2	mg/dl	7 - 25
CREATININE - SERUM	PHOTOMETRY	0.82	mg/dl	0.6-1.1
URIC ACID	PHOTOMETRY	6.32	mg/dl	4.2 - 7.3
CALCIUM	PHOTOMETRY	9.2	mg/dl	8.8-10.6
BUN / SR.CREATININE RATIO	CALCULATED	20.98	Ratio	9:1-23:1

Please correlate with clinical conditions.

Method:

BUN - KINETIC UV ASSAY.

SCRE - CREATININE ENZYMATIC METHOD

URIC - Uricase / Peroxidase Method

CALC - ARSENAZO III METHOD, END POINT.

B/CR - DERIVED FROM SERUM BUN AND CREATININE VALUES

Sample Collected on (SCT) : 20 Jun 2022 05:51
Sample Received on (SRT) : 20 Jun 2022 15:41
Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type : SERUM

Labcode : 2006079197/PP004

Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path)

Barcode : Y9458302

Page : 13 of 18

Thyrocare

H. NO. 1-9-645, Vidyanagar, Adikmet Road, Near SBH, Hyderabad-500 044





Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

HOME COLLECTION: H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

PATIENTID : RN19501071

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
TOTAL TRIIODOTHYRONINE (T3)	C.L.I.A	102	ng/dl	60-200
TOTAL THYROXINE (T4)	C.L.I.A	6.9	μg/dl	4.5-12
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	3.91	μIU/ml	0.3-5.5

Please correlate with clinical conditions.

Method:

T3 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

T4 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

TSH - SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

Please note above printed references are applicable only for ADULT

Refer below said table for < 18 years reference range

TEST	1 - 3 D	4 - 30 D	31 - 60 D	61 D - 12 M	1 - 5 Y	6 - 10 Y	11 - 14 Y	15 - 18 Y
TSH	0.1-9.2	0.2-8.5	0.2-7.8	0.30-5.9	0.4-4.8	0.5-4.7	0.5-4.6	0.6-4.5
Т3	41.7-272.1	48.2-272.1	54.7-272.1	76.8-272.1	89.2-246.7	87.2-218.1	86.6-199.8	85.3-188.8
T4	4.9-15.8	5-15.3	5.2-14.8	5.7-13.3	5.7-11.7	5.4-10.7	5.2-10	5.1-9.6
FT3	1.5-5.3	1.6-5.2	1.6-5.1	1.8-4.8	2-4.5	2.1-4.4	2.3-4.4	2.3-4.3
FT4	0.84-2.08	0.85-1.98	0.85-1.89	0.89-1.62	0.89-1.48	0.85-1.46	0.84-1.45	0.84-1.45

Sample Collected on (SCT) : 20 Jun 2022 05:51 Sample Received on (SRT) : 20 Jun 2022 15:41 Report Released on (RRT) : 20 Jun 2022 21:43

Sample Type : SERUM

Labcode : 2006079197/PP004

Barcode : Y9458302 Dr Keerthana J MD(Path)

Dr S Sugunadhar MD(Path) Page: 14 of 18

PROCESSED AT : Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703









Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333 ■ wellness@thyrocare.com ⊕ www.thyrocare.com

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED: COUPLE OFFER

PATIENTID: RN19501071

HOME	COLLECTION	:

H1503 APARNA SAROVOR GRANDE NALLAGANDLA

SERILINGAMPALLY HYDERABAD

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ARSENIC	ICP-MS	1.02	μg/l	< 5
CADMIUM	ICP-MS	0.26	μg/l	< 1.5
MERCURY	ICP-MS	0.51	μg/l	< 5
LEAD	ICP-MS	39.41	μg/l	< 150
CHROMIUM	ICP-MS	0.97	μg/l	< 30
BARIUM	ICP-MS	1.83	μg/l	< 30
COBALT	ICP-MS	0.59	μg/l	0.10 - 1.50
CAESIUM	ICP-MS	1.91	μg/l	< 5
THALLIUM	ICP-MS	0.03	μg/l	< 1
URANIUM	ICP-MS	0.06	μg/l	< 1
STRONTIUM	ICP-MS	34.09	μg/l	8 - 38
ANTIMONY	ICP-MS	7.9	μg/l	0.10 - 18
TIN	ICP-MS	0.17	μg/l	< 2
MOLYBDENUM	ICP-MS	0.78	μg/l	0.70 - 4.0
SILVER	ICP-MS	0.28	μg/l	< 4
VANADIUM	ICP-MS	0.73	μg/l	< 0.8
BERYLLIUM	ICP-MS	0.08	μg/l	0.10 - 0.80
BISMUTH	ICP-MS	0.16	μg/l	0.10 - 0.80
SELENIUM	ICP-MS	126.19	μg/l	60 - 340
ALUMINIUM	ICP-MS	9.23	μg/l	< 30
NICKEL	ICP-MS	0.86	μg/l	< 15
MANGANESE	ICP-MS	24.58	μg/l	7.10 - 20

Please correlate with clinical conditions.

Method:

ICP - MASS SPECTROMETRY

Note: Reference range has been obtained after considering 95% population as cutoff.

Sample Collected on (SCT) : 20 Jun 2022 05:51

Sample Received on (SRT) : 21 Jun 2022 03:09
Report Released on (RRT) : 21 Jun 2022 06:38

Sample Type : EDTA

Labcode : 2006112839/PP004

Dr Kuldeep Singh MD(Path)

Dr Sachin Patil MD(Path)

Barcode : Z0384923

Page: 15 of 18

PROCESSED AT : Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703











Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333

wellness@thyrocare.com

www.thyrocare.com

REPORT

NAME : RICKY NALI(14Y/M)

REF. BY : SELF

TEST ASKED : COUPLE OFFER

PATIENTID : RN19501071

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE

NALLAGANDLA SERILINGAMPALLY HYDERABAD

%

TEST NAME TECHNOLOGY VALUE UNITS
HbA1c - (HPLC - NGSP Certified)

H.P.L.C

5.3

Reference Range:

Reference Range: As per ADA Guidelines

Below 5.7% : Normal 5.7% - 6.4% : Prediabetic >=6.5% : Diabetic **Guidance For Known Diabetics**

Below 6.5%: Good Control 6.5% - 7%: Fair Control

7.0% - 8% : Unsatisfactory Control

>8% : Poor Control

Method: Fully Automated H.P.L.C. using Biorad Variant II Turbo

AVERAGE BLOOD GLUCOSE (ABG) CALCULATED 105 mg/dl

Reference Range:

90 - 120 mg/dl : Good Control 121 - 150 mg/dl : Fair Control

151 - 180 mg/dl : Unsatisfactory Control

> 180 mg/dl : Poor Control

Method: Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT) :20 Jun 2022 05:51

Sample Received on (SRT) : 21 Jun 2022 03:09
Report Released on (RRT) : 21 Jun 2022 06:38

Sample Type : EDTA

Labcode : 2006112839/PP004

Barcode : Z0384923

Link

Dr Kuldeep Singh MD(Path)

Dr Sachin Patil MD(Path)

Page: 16 of 18

PROCESSED AT: **Thyrocare**

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703









Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333

NAME : RICKY NALI(14Y/M)

: SELF REF. BY

: COUPLE OFFER **TEST ASKED PATIENTID** : RN19501071

HOME COLLECTION:

H1503 APARNA SAROVOR GRANDE

NALLAGANDLA SERILINGAMPALLY HYDERABAD

TEST NAME	VALUE	UNITS	REFERENCE RANGE
TOTAL LEUCOCYTES COUNT (WBC)	8.97	X 10 ³ / μL	5.2-9.7
NEUTROPHILS	66.1	%	43.2-76.7
LYMPHOCYTE PERCENTAGE	27.4	%	8.0-41.0
MONOCYTES	2.8	%	4.0-8.0
EOSINOPHILS	2.7	%	2.0-4.0
BASOPHILS	0.8	%	0-1
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	0.2	%	0.0-0.5
NEUTROPHILS - ABSOLUTE COUNT	5.93	$X~10^3$ / μL	2.7-6.7
LYMPHOCYTES - ABSOLUTE COUNT	2.46	X 10 ³ / μL	1-2.2
MONOCYTES - ABSOLUTE COUNT	0.25	X 10 ³ / μL	0.4-1.3
BASOPHILS - ABSOLUTE COUNT	0.07	$X~10^3$ / μL	0.0-0.1
EOSINOPHILS - ABSOLUTE COUNT	0.24	X 10 ³ / μL	0.0-0.02
IMMATURE GRANULOCYTES(IG)	0.02	$X~10^3$ / μL	0.0-0.03
TOTAL RBC	5.64	X 10^6/μL	3.74-4.93
NUCLEATED RED BLOOD CELLS	Nil	$X~10^3$ / μL	<0.01
NUCLEATED RED BLOOD CELLS %	Nil	%	<0.01
HEMOGLOBIN	14.7	g/dL	11-14.3
HEMATOCRIT(PCV)	41.16	%	31.4-41
MEAN CORPUSCULAR VOLUME(MCV)	89.5	fL	80.8-86.6
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	26.1	pq	28.2-30.5
MEAN CORP.HEMO.CONC(MCHC)	29.1	g/dL	34.2-35.6
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	43.6	fL	39-46
RED CELL DISTRIBUTION WIDTH (RDW-CV)	13.2	%	11.6-14.0
PLATELET DISTRIBUTION WIDTH(PDW)	14	fL	9.6-15.2
MEAN PLATELET VOLUME(MPV)	11.4	fL	7.5-8.3
PLATELET COUNT	242	$X~10^3$ / μL	180-299
PLATELET TO LARGE CELL RATIO(PLCR)	36.6	%	19.7-42.4
PLATELETCRIT(PCT)	0.28	%	0.19-0.39

Remarks: Alert!!! Predominantly normocytic normochromic with ovalocytes. Platelets: Appear adequate in smear.

Please Correlate with clinical conditions.

Method: Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow

Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

~~ End of report ~~

Sample Collected on (SCT)

Sample Received on (SRT)

Report Released on (RRT)

Sample Type

Labcode

Barcode

20 Jun 2022 05:51 21 Jun 2022 03:09

: 21 Jun 2022 06:38

. EDTA

: Z0384923

: 2006112839/PP004

Dr Kuldeep Singh MD(Path)

Dr Sachin Patil MD(Path)

Page: 17 of 18

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc
- For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** The name is as declared by the client and recored by the personnel who collected the specimen.
- v Ref.Dr The name of the doctor who has recommended testing as declared by the client.
- Labcode This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- Barcode This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v SCP Specimen Collection Point This is the location where the blood or specimen was collected as declared by the client.
- v SCT Specimen Collection Time The time when specimen was collected as declared by the client.
- v SRT Specimen Receiving Time This time when the specimen reached our laboratory.
- RRT Report Releasing Time The time when our pathologist has released the values for Reporting.
- Reference Range Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at info@thyrocare.com or call us on 022-3090 0000 / 6712 3400
- SMS:<Labcode No.> to **9870666333**





BOOK A TEST

Give a Call - 022 4128 2828

WhatsApp **TGS** to 8104112632

Email to tgs@focustb.com

Page: 18 of 18